

ERIN M. HARVEY
Curriculum Vitae

Chronology of Education

- 1988 B.A. The State University of New York at Stony Brook, Stony Brook, NY
Major: Psychology
- 1992 M.A. The University of Arizona, Tucson, AZ
Major: Cognitive Psychology
Advisor: Mary A. Peterson, Ph.D.
Thesis: "Attention and figure-ground organization"
- 2002 Ph.D. The University of Arizona, Tucson, AZ
Major: Cognitive Psychology, Minor: Developmental Psychology
Advisor: Felice L. Bedford, Ph.D.
Dissertation: "Visual development and plasticity in children"

Chronology of Employment

- 1988-1991 Graduate Teaching Assistant, Department of Psychology
The University of Arizona, Tucson, AZ
- 1989-1991 Graduate Research Assistant, Department of Psychology
The University of Arizona, Tucson, AZ
- 1992-1994 Research Associate
Matrix Institute on Addictions, Los Angeles, CA
- 1994-1996 Research Specialist, Department of Ophthalmology
The University of Arizona, Tucson, AZ
- 1996-1999 Senior Research Specialist, Department of Ophthalmology
The University of Arizona, Tucson, AZ
- 1999-2003 Research Instructor, Department of Ophthalmology
The University of Arizona, Tucson, AZ
- 2003-Present Assistant Professor, Department of Ophthalmology & Vision Science
The University of Arizona, Tucson, AZ

Honors and Awards

- 1983 New York State Regents Scholarship
1988 Phi Beta Kappa
1988 Magna Cum Laude, State University of New York, Stony Brook

Refereed Journal Articles

- Peterson MA, Harvey EM, Weidenbacher HJ. Shape recognition contributions to figure-ground reversal: Which route counts? *J Exp Psychol: Human Perception and Performance* 1991;17:1075-1089.
- Kihlstrom JF, Glisky ML, Peterson MA, Harvey EM, Rose PM. Vividness and control of mental imagery: A psychometric analysis. *Journal of Mental Imagery* 1991;15:133-142.
- Harvey EM, Rawson RA, Alexander E, Bachar KJ. Binge eating in males: A sample description and treatment outcome study. *Eating Disorders* 1994;2:215-230.
- Harvey EM, Rawson RA, Obert JL. History of sexual assault and the treatment of substance abuse disorders. *Journal of Psychoactive Drugs* 1994;26:361-367.
- Harvey EM, Miller JM, Dobson V. Reproducibility of corneal astigmatism measurements with a hand-held keratometer in preschool children. *Br J Ophthalmol* 1995;79:983-990.
- Harvey EM, Dobson V, Luna B. Long-term grating acuity and visual field development in preterm children who experienced bronchopulmonary dysplasia. *Dev Med Child Neurol* 1997;39:167-173.
- Harvey EM, Dobson V, Luna B, Scher MS. Grating acuity and visual field development in children with intraventricular hemorrhage (IVH). *Dev Med Child Neurol* 1997;39:305-312.
- Harvey EM, Dobson V, Narter DB. The influence of a central stimulus on visual field measurements in children from 3.5 to 30 months of age. *Optom Vis Sci* 1997;74:768-774.
- Harvey EM, Miller JM, Wagner LK, Dobson V. Reproducibility and accuracy of measurements with a hand-held autorefractor in children. *Br J Ophthalmol* 1997;81:941-948.
- Dobson V, Brown, AM, Harvey EM, Narter DB. Visual field extent in children 3.5 to 30 months of age tested with a double-arc LED perimeter. *Vision Res* 1998;38:2743-2760.
- Miller JM, Harvey EM. Spectacle prescribing recommendations of AAPOS members. *J Pediatr Ophthalmol Strabismus* 1998;35:51-52.
- Harvey EM, Dobson V, Tung B, Quinn GE, Hardy RJ. Interobserver agreement for grating acuity and letter acuity assessment in 1- to 5 1/2-year-olds with severe retinopathy of prematurity. *Invest Ophthalmol Vis Sci* 1999;40:1565-1576.
- Dobson V, Miller JM, Harvey EM. Corneal and refractive astigmatism in a sample of 3 to 5-year-olds with a high prevalence of astigmatism. *Optom Vis Sci* 1999;76:855-860.
- Miller JM, Harvey EM, Dobson V. Visual acuity screening versus non-cycloplegic autorefraction screening of astigmatism in Native American preschool children. *J AAPOS* 1999, 3, 160-165.
- Mohan KM, Dobson V, Harvey EM, Delaney SM, Leber NR. Does rate of stimulus presentation affect measured visual field extent in infants and toddlers? *Optom Vis Sci* 1999, 76, 234-240.

- Delaney SM, Dobson V, Harvey EM, Mohan KM, Weidenbacher HJ, Leber NR. Stimulus motion increases measured visual field extent in children 3.5 - 30 months of age. *Optom Vis Sci* 2000; 77:82-9.
- Harvey EM, Miller JM, Dobson V, Tyszko R, Davis AL. Measurement of refractive error in Native American preschoolers: Validity and reproducibility of autorefraction. *Optom Vis Sci* 2000, 140-149.
- Miller JM, Dobson V, Harvey EM, Sherrill DL. Astigmatism and amblyopia among Native American children (AANAC): Design and methods. *Ophthalmic Epidemiol* 2000;7:187-207.
- Miller JM, Harvey EM, Dobson V: Prescribing spectacles by confirmed autorefraction, in *Vision Science and Its Applications, Technical Digest Series* (Optical Society of America, Washington DC, 2000), Vol. 1, pp. 185-188.
- Mohan KM, Miller JM, Dobson V, Harvey EM, Sherrill DL. Inter-rater and intra-rater reliability in the interpretation of MTI Photoscreener photographs of Native American preschool children. *Optom Vis Sci* 2000;77: 473-482.
- Miller JM, Dobson V, Harvey EM, and Sherrill DL. Comparison of preschool vision screening methods in a population with a high prevalence of astigmatism. *Invest Ophthalmol Vis Sci* 2001;42:917-24.
- Delaney SM, Dobson V, Mohan KM, Harvey EM. The effect of flicker rate on measured visual field extent in very young children. *Optom Vis Sci* 2001;78:846-852.
- Dobson V, Baldwin MB, Mohan KM, Delaney SM, Harvey EM. The influence of stimulus size on measured visual field extent in infants. *Optom Vis Sci* 2003;80:698-702.
- Dobson V, Miller JM, Harvey EM, Mohan KM. Amblyopia in astigmatic preschool children. *Vision Res* 2003;43:1081-1090.
- Miller JM, Dobson V, Harvey EM, Sherrill DL: Cost-efficient vision screening for astigmatic Native American preschool children. *Invest Ophthalmol and Vis Sci* 2003; 44:3756-3763.
- Harvey EM, Dobson V, Miller JM, Sherrill DL: Treatment of astigmatism-related amblyopia in 3- to 5-year-old children. *Vision Res* 2004;44:1623-1634.
- Delaney SM, Dobson V, Mohan K, Harvey EM. The effect of flicker rate on nasal and temporal measured visual field extent in infants. *Optom Vis Sci* 2004;81:922-928.
- Harvey EM, Miller JM, Dobson V, Clifford CE. Prescribing eyeglass correction for astigmatism in infancy and early childhood: a survey of AAPOS members. *J AAPOS* 2005;9:189-91.
- Harvey EM, Dobson V, Miller JM. Prevalence of high astigmatism, eyeglass wear, and poor visual acuity among Native American grade-school children. *Optom Vis Sci* 2006 Apr;83(4):206-12.
- Dobson V, Harvey EM, Miller JM. Spherical equivalent refractive error in preschool children from a population with a high prevalence of astigmatism. *Optom Vis Sci* 2007;84:124-130.
- Harvey EM, Dobson V, Miller JM, Clifford-Donaldson CE. Amblyopia in astigmatic children: Patterns of deficits. *Vision Research*, 2007;47:315-25.
- Harvey EM, Dobson V, Clifford-Donaldson CE, Miller JM. Optical treatment of amblyopia in astigmatic children: The sensitive period for successful treatment. *Ophthalmology*, 2007;114:2293-2301.

Harvey EM, Dobson V, Miller JM, Clifford-Donaldson CE. Changes in visual function following optical treatment of astigmatism-related amblyopia. *Vision Research*, 2008;48:773-787.

Dobson V, Harvey EM, Miller JM, Clifford-Donaldson CE. Anisometropia prevalence in a highly astigmatic school-age population. *Optometry and Vision Science*, in press.

Published Abstracts

Harvey EM, Miller JM, Dobson V. Reproducibility of corneal astigmatism measurements with a portable automated keratometer in preschool children. *Invest Ophthalmol Vis Sci* 1995;36:S1005.

Dobson V, Tyszko RM, Miller JM, Harvey EM. Astigmatism, amblyopia, and visual disability among a Native American population. In *Vision Science and Its Applications*, Vol. 1, 1996 OSA Technical Digest Series (Optical Society of America, Washington, DC, 1996), pp.139-142.

Dobson V, Harvey EM, Narter DB. Visual field extent in infants and toddlers: Effect of stimulus and procedural variations. *Invest Ophthalmol Vis Sci* 1996;37:S1068.

Miller JM, Harvey EM. Accuracy and repeatability of a hand-held video keratoscope in a population with a high prevalence of astigmatism. *Invest Ophthalmol Vis Sci* 1996;37:S704.

Wagner LK, Miller JM, Wilson M, Harvey EM. Accuracy of a hand-held autorefractor in a pediatric population. *Invest Ophthalmol Vis Sci* 1996;37:S729.

Hall HL, Miller JM, Schwiegerling JT, Harvey EM. Comparison of sensitivity and specificity of the MTI Photoscreener when scored from a video screen and original photos. *Invest Ophthalmol Vis Sci* 1997;38:S1069.

Harvey EM, Miller JM, Dobson V. Effectiveness of screening for refractive errors with a hand-held autorefractor in a preschool population with a high prevalence of astigmatism. *Invest Ophthalmol Vis Sci* 1997;38:S977.

Mansueto LA, Harvey EM, Miller JM, Dobson V. Sensitivity and specificity of the MTI photoscreener in a preschool population with a high prevalence of astigmatism. *Invest Ophthalmol Vis Sci* 1997;38:S109.

Miller JM, Dobson V, Harvey EM. Refractive amblyopia in a Native American preschool population with a high prevalence of astigmatism. *Invest Ophthalmol Vis Sci* 1997;38:S109.

Broyles P, Dobson V, Miller JM, Harvey EM, Tyszko RM. Success rates for screening for astigmatism in preschoolers: A comparison of three instruments. *Invest Ophthalmol Vis Sci* 1998;39:S944.

Dobson V, Delaney SM, Weidenbacher HJ, Harvey EM, Leber N. Stimulus motion influences measured visual field extent in toddlers. In *Vision Science and Its Applications*, Vol.1, OSA Technical Digest Series (Optical Society of America, Washington, DC, 1998), pp. 158-161.

Dobson V, Miller JM, Harvey EM, Tyszko RM. The relation between corneal and refractive astigmatism in a preschool population with a high prevalence of astigmatism. *Invest Ophthalmol Vis Sci* 1998;39:S281.

- Delaney SM, Dobson V, Mohan KM, Weidenbacher HJ, Leber NR, Harvey EM. The influence of stimulus motion on measured visual field extent in 11-, 17-, and 30-month-olds. *Invest Ophthalmol Vis Sci* 1998;39:S1090.
- Harvey EM, Miller JM, Dobson V, Lopez CA, Lopez FM. A comparison of ETDRS (letter) and Lea (symbol) acuity in a first grade population with a high prevalence of astigmatism. *Invest Ophthalmol Vis Sci* 1998;39:S947.
- Miller JM, Schweigerling J, Hall H, Harvey EM, Dobson V, Mansueto LA. Neural network-assisted interpretation of digitized MTI photoscreening images. In *Vision Science and Its Applications*, Vol. 1, OSA Technical Digest Series (Optical Society of America, Washington, DC, 1998), pp. 166-169.
- Miller JM, Harvey EM, Dobson V, Tyszko RM, Funk JL, Lopez FM, Lopez CA. Keratometry screening is superior to visual acuity screening in a preschool population of Native American children. *Invest Ophthalmol Vis Sci* 1998;39:S944.
- Tyszko RM, Dobson V, Miller JM, Harvey EM. Characteristics of astigmatism prevalent in a preschool population of Native American children. *Invest Ophthalmol Vis Sci* 1998;39:S281.
- Dobson V, Delaney SM, Mohan KM, Leber NL, Harvey EM. The influence of peripheral stimulus flicker rate on measured visual field extent in young children. *Invest Ophthalmol Vis Sci* 1999;40:S410.
- Dobson V, Miller JM, Harvey EM, Sherrill DL. Prevalence of astigmatism, astigmatic anisometropia, and glasses wearing among preschool- and school-age Native American children. In *Vision Science and Its Applications*, Vol. 1, OSA Technical Digest Series (Optical Society of America, Washington, DC, 1999), pp.177-180.
- Mohan KM, Miller JM, Dobson V, Harvey EM, Sherrill DL. Intra- and inter-rater agreement in the interpretation of photographs taken with the MTI photoscreener in Native American preschool children. *Invest Ophthalmol Vis Sci* 1999;40:S430.
- Atodaria NJ, Harvey EM, Miller JM, Dobson V. Preschool vision screening using a new photoscreener: Effectiveness in a population with a high prevalence of astigmatism. *Invest Ophthalmol Vis Sci* 2000;41,S302.
- Delaney SM, Dobson V, Mohan KM, Harvey EM. The influence of stimulus flicker rate on measured visual field extent in 3.5- and 7-month-old infants. *Invest Ophthalmol Vis Sci* 2000; 41,S726.
- Harvey EM, Miller JM, Dobson V. Preschool vision screening with a new portable vision screener: Effectiveness in a population with a high prevalence of astigmatism. *Invest Ophthalmol Vis Sci* 2000; 41,S302.
- Mohan KM, Dobson V, Delaney SM, Harvey EM. The influence of stimulus size on measured visual field extent in 17- and 30-month-old children. *Invest Ophthalmol Vis Sci* 2000; 41,S728.
- Dobson V, Miller JM, Harvey EM, Sherrill DL. A screening protocol for preschool children who are members of a population with a high prevalence of astigmatism. In *Vision Science and Its Applications*, OSA Technical Digest Series (Optical Society of America, Washington, DC, 2001), pp. 154-7.
- Miller JM, Harvey EM, Sherrill DL, Funk-Weyant J, Dobson V. Lea Symbols® and computerized crowded HOTV letters provide equivalent acuities in Native American preschool children. *Invest Ophthalmol Vis Sci* 2001; 42:S385.

Miller JM, Harvey EM, Dobson V, and Sherrill D: Screening for astigmatism is affected by the disease positive threshold. Poster presentation at the 2001 Annual Meeting of the American Association for Pediatric and Ophthalmology and Strabismus, Orlando, FL, March 21-25, 2001.

Mohan KM, Dobson V, Harvey EM. Does attention to a dynamic central task differentially affect measured visual field extent in adults when using two different peripheral target sizes? Invest Ophthalmol Vis Sci 2001;42:S387.

Presentations

Miller JM, Harvey EM, Dobson V. Confirmed autorefractive component differences in a population of astigmatic Native American preschool children. Proceedings of the VIII International Conference on Myopia Thorn F, Troilo D, Gwiazda J (Eds)., July 7-9 2000, Boston, MA, 2000, 331-335.

Tyszko R, Miller JM, Harvey EM, Dobson V, Sherrill D. The prevalence of high corneal astigmatism among Tohono O'Odham preschool children. Paper presented at International Society for Eye Research XIV International Congress of Eye Research Meeting, Santa Fe, NM, October 15-20, 2000.

Miller JM, Harvey EM, Dobson V: Isoametropic amblyopia in astigmatic Native American preschool children. Presentation at the International Society for Eye Research XIV International Congress of Eye Research Meeting, Santa Fe, NM, October 15-20, 2000.

Miller JM, Harvey EM, Dobson V, Sherrill D: The prevalence of high corneal astigmatism among Tohono O'Odham preschool children. Presentation at the International Society for Eye Research XIV International Congress of Eye Research Meeting, Santa Fe, NM, October 15-20, 2000.

Miller JM, Holmes JM, Beck RW, Harvey EM, Dobson V: Computerized visual acuity measurement using the Amblyopia Treatment Study Threshold Acuity Test [ATSTAT]. Poster presentation at the Annual Meeting of the American Academy of Ophthalmology, Dallas, TX, October 22-25, 2000.

Miller JM, Harvey EM, Dobson V. New strategies for preschool vision screening: Problems and Promises. Department of Ophthalmology, Science of Eye Disease Seminar Series, December 13, 2000.

Delaney SM, Dobson V, Mohan K, Harvey EM. The "Flicker Effect": Nasal and Temporal Visual Field Extent in 3.5- and 7-Month-Old Infants. Presentation at the 2001 Biennial Meeting of the Society for Research in Child Development, Minneapolis, MN, April 19-22, 2001.

Harvey EM, Dobson V, Miller JM. Factors associated with the development of amblyopia in astigmatic children. Presentation at the 2001 Biennial Meeting of the Society for Research in Child Development, Minneapolis, MN, April 19-22, 2001.

Miller JM, Harvey EM, Dobson V. Use of the enhanced bruckner test to screen for refractive error. Presented at the Annual Meeting of the American Association for Pediatric Ophthalmology and Strabismus (AAPOS), 2002.

Adams I, Lopez F, Harvey EM, Miller JM. Head Start vision screening: Identifying and targeting population specific problems. Poster presented at Head Start's 6th National Research Conference, Washington D.C., June 2002.

- Mohan K, Miller JM, Harvey EM, Dobson V. Vision problems among Native American Head Start children. Poster presented at Head Start's 6th National Research Conference, Washington D.C., June, 2002.
- Harvey EM, Dobson V, Miller JM. Below normal best-corrected grating acuity across stimulus orientation in children with high astigmatism. Invest Ophthalmol Vis Sci 2002;43:ARVO E-Abstract 4692.
- Miller JM, Harvey EM, Dobson V. A practical method for testing vernier acuity. Invest Ophthalmol Vis Sci 2002;43:ARVO E-Abstract 2665.
- Dobson V, Miller JM, Harvey EM, Mohan KM. Meridional amblyopia in 3- to 5-year-old Native American children with astigmatism ≥ 1.50 diopters. Invest Ophthalmol Vis Sci 2002;43:ARVO E-Abstract 3939.
- Miller JM, Sherrill DL, Harvey EM, Dobson V. The stability of astigmatism in Native American preschool children. Presented at the Fall Vision Meeting, San Francisco, CA, October 24-27, 2002.
- Dobson V, Miller JM, Harvey EM, Mohan KM. Amblyopia in astigmatic preschool children. Presented at the Fall Vision Meeting, San Francisco, CA, October 24-27, 2002.
- Miller JM, Sherrill DL, Dobson V, Harvey EM. Stability of spherical equivalent refraction in Native American preschool children. Invest Ophthalmol Vis Sci 2003;44:ARVO E-Abstract 4774.
- Harvey EM, Dobson V, Miller JM, Clifford CE. Accommodation in uncorrected astigmatic children. Invest Ophthalmol Vis Sci 2003;44:ARVO E-Abstract 2727.
- Dobson V, Miller JM, Sherrill DL, Harvey EM. Stability of astigmatism in Native American preschool children. Invest Ophthalmol Vis Sci 2003;44:ARVO E-Abstract 4773.
- Clifford CE, Harvey EM, Dobson V, Miller JM. Accuracy of the Grand Seiko autorefractor in children. Invest Ophthalmol Vis Sci 2003;44:ARVO E-Abstract 2793.
- Miller JM, Verstringhe, Schweigerling J, Harvey EM, Dobson V. Higher Order Aberrations in Native American Children. Presented at Mopane 2003: Astigmatism, Aberrations, and Vision, August 15, 2003, Mopane, South Africa.
- Dobson V, Miller JM, Twelker JD, Sherrill DL, Harvey EM. Astigmatism and emmetropization in a native american population. Presented at the Fall Vision Meeting, October 5, 2003, Tucson, AZ.
- Harvey EM, Dobson V, Miller JM. Treatment of astigmatism-related amblyopia: Evidence for a sensitive period that extends beyond early childhood. Invest Ophthalmol Vis Sci 2004;45:ARVO E-Abstract 2580.
- Dobson V, Miller JM, Harvey EM, Clifford CE, Haynes BM, Mohan KM. A Compact Computer-Based Stimulus Display for Use in Preferential Looking Assessment of Infant Vision. Invest Ophthalmol Vis Sci 2004;45:ARVO E-Abstract 4310.
- Miller JM, Harvey EM, Dobson V. Use of the Dimensions Technology Autostereoscopic Monitor for Monocular and Binocular Testing. Invest Ophthalmol Vis Sci 2004;45:ARVO E-Abstract 4311.
- Clifford CE, Miller JM, Harvey EM, Dobson V. The impact of a population-based vision screening program on spectacle wear among Native American Children. Paper presented at the Annual Meeting of the American Public Health Association, Washington D.C., November 2004.

- Miller JM, Harvey EM, Clifford CE, Dobson V. Reduced-Contrast Computerized Acuity Test (CAT) of Grating Acuity. Poster presented at Annual Meeting of the American Association for Pediatric Ophthalmology and Strabismus, Orlando, Florida, March 2005.
- Clifford CE, Miller JM, Harvey EM, Dobson V. Impact of a population-based vision screening program on spectacle wear among Native American children. Invest Ophthalmol Vis Sci 2005;46:ARVO E-Abstract 688.
- Harvey EM, Dobson V, Miller JM, Clifford CE, Lopez FM, Adams I. Prevalence of High Corneal Astigmatism in Native American Infants and Toddlers. Invest Ophthalmol Vis Sci 2005;46:ARVO E-Abstract 5620.
- Miller JM, Harvey EM, Schwiegerling J, Clifford CE. Design and evaluation of an infant keratometer incorporating infra-red imaging and a telecentric telephoto lens. Invest Ophthalmol Vis Sci 2005;46:ARVO E-Abstract 5625.
- Schwiegerling JT, Jain P, Harvey EM, Dobson V, Miller JM. Measurement of cylinder error in a Native American population with a Shack-Hartmann sensor. Invest Ophthalmol Vis Sci 2005;46:ARVO E-Abstract 5619.
- Shelton JB, Harvey EM, Dobson V, Miller JM, Clifford CE. Performance of children with astigmatism-related amblyopia on the 'Pelli-Levi Dual Acuity Chart'. Invest Ophthalmol Vis Sci 2005;46:ARVO E-Abstract 5644.
- Harvey EM, Dobson V, Miller JM, Clifford CE, Lopez F, Adams I. Prevalence of high corneal astigmatism in Native American infants and toddlers. The Mel and Enid Zuckerman College of Public Health 5th Annual Epidemiology in Arizona Forum, The University of Arizona, April 8, 2005.
- Clifford CE, Miller JM, Harvey EM, Dobson V. Impact of a population-based vision screening program on spectacle wear among Native American children. The Mel and Enid Zuckerman College of Public Health 5th Annual Epidemiology in Arizona Forum, The University of Arizona, April 8, 2005.
- Miller JM, Harvey EM, Dobson V, Clifford CE. Improved Method for SureSight Autorefractor Astigmatism Measurement. Invest Ophthalmol Vis Sci 2006;47:ARVO E-Abstract 697.
- Apple HP, Miller JM, Harvey EM, Apple DC. Child Response to an Electronic Vision Occluder for Acuity Testing. Invest Ophthalmol Vis Sci 2006;47:ARVO E-Abstract 3161.
- Harvey EM, Dobson V, Miller JM, Clifford CE. Effectiveness of Recommended Visual Acuity Screening Referral Criteria in a Population With a High Prevalence of Astigmatism. Invest Ophthalmol Vis Sci 2006;47:ARVO E-Abstract 691.
- Dobson V, Harvey EM, Clifford CE, Miller JM. Anisometropia and Anisometropic Amblyopia in a Population of Children with a High Prevalence of Astigmatism. Invest Ophthalmol Vis Sci 2006;47:ARVO E-Abstract 2455.
- Clifford CE, Harvey EM, Miller JM. Determining Factors Associated With Eyeglass Wearing Compliance in School-Age Children: A Pilot Survey. Invest Ophthalmol Vis Sci 2006;47:ARVO E-Abstract 719.
- Clifford-Donaldson CE, Schwiegerling J, Miller JM, Harvey EM. Evaluation of a Hand-Held Keratometer in a Population of Children With a High Prevalence of Astigmatism. Invest Ophthalmol Vis Sci 2007;48:ARVO E-Abstract 997.

- Dobson V, Harvey EM, Clifford-Donaldson CE, Miller JM. Best-corrected Lea Symbols Acuity versus Best-corrected ETDRS Letter Acuity in a Population of Children With a High Prevalence of Astigmatism. Invest Ophthalmol Vis Sci 2007;48:ARVO E-Abstract 5510.
- Garvey KA, Harvey EM, Dobson V, Clifford-Donaldson CE, Miller JM. Non-Cycloplegic Refractive Error Measured With the SureSight™ Autorefractor: Does Age or Astigmatism Have an Effect on Accuracy? Invest Ophthalmol Vis Sci 2007;48:ARVO E-Abstract 996.
- Harvey EM, Dobson V, Clifford-Donaldson CE, Miller JM. Effects of Eyeglass Treatment on Best-Corrected Grating Acuity in School-Age Children With High Astigmatism. Invest Ophthalmol Vis Sci 2007;48:ARVO E-Abstract 5509.
- Miller JM, Kawamorita T, Dobson V, Harvey EM. The SureSight™ Autorefractor: The Difference Between Sphere Readings in “Adult” and “Child” Modes. Invest Ophthalmol Vis Sci 2007;48:ARVO E-Abstract 995.
- Clifford-Donaldson CE, Dobson V, Green TK, Harvey EM. Success rate and confidence ratings of the SureSight autorefractor for testing infants and young children. Invest Ophthalmol Vis Sci 2008;ARVO E-Abstract, in press.
- DeHoog E, Clifford-Donaldson, Harvey EM, Miller JM, Dobson V, Schwiegerling J. Astigmatism and higher-order aberrations measured with a handheld aberrometer in Native American children. Invest Ophthalmol Vis Sci 2008;ARVO E-Abstract, in press.
- Dobson V, Miller JM, Clifford-Donaldson CE, Harvey EM. The relation between magnitude of anisometropia (spherical equivalent and astigmatic) and amblyopia in a population of children with a high prevalence of astigmatism. Invest Ophthalmol Vis Sci 2008;ARVO E-Abstract, in press.
- Garvey KA, Miller JM, Dobson V, Harvey EM. Prevalence of strabismus and heterophoria in a population of Native American children. Invest Ophthalmol Vis Sci 2008;ARVO E-Abstract, in press.
- Harvey EM, Clifford-Donaldson CE, Green TK, Miller JM, Dobson V. Prevalence of astigmatism in Native American children 6 months to 8 years of age. Invest Ophthalmol Vis Sci 2008;ARVO E-Abstract, in press.
- Miller JM, Dobson V, Clifford-Donaldson CE, Harvey EM. Predictors of amblyopia subtypes in a population of children with a high prevalence of astigmatism. Invest Ophthalmol Vis Sci 2008;ARVO E-Abstract, in press.

Ad-Hoc Reviewer

- 1998: Optometry and Vision Science
 2000: Ophthalmic and Physiological Optics
 2001: British Journal of Ophthalmology, Ophthalmic and Physiological Optics
 2003: Optometry and Vision Science, British Journal of Ophthalmology, Ophthalmic Epidemiology, Survey of Ophthalmology
 2004: Vision Research, Ophthalmic and Physiological Optics
 2005: Investigative Ophthalmology and Vision Science, Ophthalmic and Physiological Optics

2007: Journal of Cataract and Refractive Surgery, Ophthalmology (3), BMC
Ophthalmology, Journal of AAPOS, Indian Journal of Ophthalmology
2008: Indian Journal of Ophthalmology

Grants

Co-Investigator

(Joseph M. Miller, Principal Investigator, Velma Dobson, Co-Investigator)
Astigmatism and Amblyopia Among Native American Children.
National Eye Institute, 1997-2002

Principal Investigator

(Joseph M. Miller and Velma Dobson, Co-Investigators)
Amblyopia in Astigmatic Children: Development and Treatment.
National Eye Institute, 2001-2005

(Joseph M. Miller and Velma Dobson, Co-Investigators)
Amblyopia in Astigmatic Children: Development and Treatment II.
National Eye Institute, 2005-2010